



THE KISSNER GROUP
32 Cherry Blossom Road
Cambridge, Ontario N3H 4R7
1 (800) 434-8248 • (519) 279-4860
Fax: (877) 434-8250



SAFETY DATA SHEET

Section 1: Product Identification

Product Name Brown Bag
Identified Uses Melt Snow and Ice
Supplier's Details The Kissner Group
32 Cherry Blossom Road
Cambridge, Ontario, Canada N3H 4R7
Phone Number (519) 279-4860
Emergency Contact (24 Hrs) (613) 996-6666 CANUTEC

Section 2: Hazard Identification

Classification (GHS) Not Classified
GHS Labelling No Labelling applicable
Percentage Not applicable
Other Hazards Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact.

Section 3: Composition/Information On Ingredients

| Ingredients | Percentage | CAS. NO. | Classification |
|--|------------|----------------|-----------------------|
| Sodium Chloride | 85.0-99.9% | 7647-14-5 | Not Classified |
| Calcium Chloride | 0.01-5.0% | 10043-52-4 | Eye Irrit. 2A, H319 |
| Magnesium Chloride | 0.01-5.0% | 7786-30-3 | Not Classified |
| Potassium Chloride | 0.01-5.0% | 7447-40-7 | Aquatic Acute 3, H402 |
| Beet Extract Solution (Beet Raffinate) | | Not Applicable | |
| Product may contain color indicator | | Not Applicable | |

Section 4: First-Aid Measures

Description of First Aid Measures


General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.
Inhalation When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
Skin Contact Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.
Eye Contact Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General Dust may cause mechanical irritation to eyes, nose, throat, and lungs



THE KISSNER GROUP
32 Cherry Blossom Road
Cambridge, Ontario N3H 4R7
1 (800) 434-8248 • (519) 279-4860
Fax: (877) 434-8250



| | |
|------------------|---|
| Inhalation | Prolonged contact with large amounts of dust may cause mechanical irritation. |
| Skin Contact | Skin contact with large amounts of dust may cause mechanical irritation. |
| Eye Contact | Contact may cause irritation due to mechanical abrasion |
| Ingestion | Ingestion is not likely to be harmful or have adverse effects |
| Other | Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and lungs. |
| Chronic Symptoms | Not available |

Section 5: Fire-Fighting Measures

| | |
|--|--|
| Suitable Extinguishing Media: | Use extinguishing media appropriate for surrounding fire. |
| Unsuitable Extinguishing Media: | Do not use a heavy water stream. Use of heavy stream of water may spread fire. |
| Fire Hazard: | Not considered flammable but may burn at high temperatures. |
| Explosion Hazard: | Product is not explosive. |
| Reactivity: | When heated to decomposition, emits toxic fumes. Toxic Gas. |
| Hazardous Combustion Products: | Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine. |
| Other Information: | Do not allow run-off from firefighting to enter drains or water courses. |

Section 6: Accidental Release Measures

| | |
|----------------------------------|--|
| Personal Precautions | Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing. |
| Protective Equipment | Use appropriate personal protection equipment (PPE). |
| Environmental Precautions | Prevent entry to sewers and public waters. Avoid release to the environment. |
| Methods for Cleaning Up | Clear up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Contact competent authorities after a spill. |

Section 7: Handling And Storage

| | |
|---|--|
| Precautions for Safe Handling | When heated to decomposition, emits toxic fumes. Contact with water causes an exothermic heat reaction, which may cause significant temperature rise. Corrosive to metals upon prolonged contact. May release hydrogen gas on prolonged contact with certain metals. |
| Additional Hazards When Processed | Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. |
| Hygiene Measures | |
| Conditions for Safe Storage, Including Any Incompatibilities | |
| Technical Measures | Comply with applicable regulations |
| Storage Conditions | Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, and incompatible materials. |
| Incompatible Materials | Strong acids. Strong bases. Strong oxidizers. |



THE KISSNER GROUP
32 Cherry Blossom Road
Cambridge, Ontario N3H 4R7
1 (800) 434-8248 • (519) 279-4860
Fax: (877) 434-8250



Section 8: Exposure Controls/Personal Protection

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

Appropriate Engineering Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection. Gloves.



Materials for Protective Clothing:

Chemically resistant materials and fabrics.

Hand Protection:

Wear chemically resistant protective gloves.

Eye Protection:

Chemical goggles or face shield.

Skin and Body Protection:

Wear suitable protective clothing.

Respiratory Protection:

Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations are expected to exceed exposure limits.

Section 9: Physical And Chemical Properties

| | |
|--|-------------------------|
| Appearance/ Physical State | Purple Colored Granules |
| Vapour Pressure (mm Hg at 20°C) | Not available |
| Vapour Density (Air = 1.0) | Not available |
| Bulk Density | Not available |
| Solubility in Water | Water Soluble |
| Specific Gravity (gm/cc, Water = 1.0) | Not available |
| % Volatile by Volume | Non-volatile |
| Boiling Range (Deg. Celsius) | Not available |
| Melting Point | Not available |
| Coefficient of Water/Oil Distribution | Not available |
| pH | 10 (1% solution @ 20°C) |

Section 10: Stability And Reactivity

| | |
|--|---|
| Chemical Stability: | Stable under normal conditions. |
| Reactivity: | When heated to decomposition, emits toxic fumes. Toxic Gas. |
| Possibility of Hazardous Reactions: | Polymerization occurs with calcium chloride when mixed with methyl vinyl ether. |
| Conditions to Avoid: | Direct sunlight. Extremely high or low temperatures. Incompatible materials. |
| Incompatible Materials: | Strong acids. Strong bases. Strong oxidizers. Reactive metals. |



THE KISSNER GROUP
 32 Cherry Blossom Road
 Cambridge, Ontario N3H 4R7
 1 (800) 434-8248 • (519) 279-4860
 Fax: (877) 434-8250



Hazardous Decomposition Products: Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of magnesium. Oxides of calcium.

Section 11: Toxicological Information

| | |
|--|----------------|
| Acute Toxicity: | Not classified |
| LD50 and LC50 Data: | Not available |
| Skin Corrosion/Irritation: | Not classified |
| Serious Eye Damage/Irritation: | Not classified |
| Respiratory or Skin Sensitization: | Not classified |
| Germ Cell Mutagenicity: | Not classified |
| Teratogenicity: | Not available |
| Carcinogenicity: | Not classified |
| Specific Target Organ Toxicity (Repeated Exposure): | Not classified |
| Reproductive Toxicity: | Not classified |
| Specific Target Organ Toxicity (Single Exposure): | Not classified |
| Aspiration Hazard: | Not classified |

Information on Toxicological Effects - Ingredient(s)

| | | |
|---------------------------------------|---------------------|--|
| Sodium chloride (7647-14-5) | LD50 Oral Rat | 3 g/kg |
| | LC50 Inhalation Rat | > 42 g/m ³ (Exposure time: 1 h) |
| Calcium Chloride (10043-52-4) | LD50 Oral Rat | 1455-2781 mg/kg |
| | LD50 Dermal Rabbit | > 5000 mg/kg |
| Potassium Chloride (7447-40-7) | LD50 Oral Rat | 2600 mg/kg |

Section 12: Ecological Information

Toxicity No additional information available

Sodium chloride (7647-14-5)

| | |
|-----------------------|--|
| LC50 Fish 1 | 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow- through]) |
| EC50 Daphnia 1 | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC 50 Fish 2 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| EC50 Daphnia 2 | 340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |

Calcium Chloride (10043-52-4)

| | |
|-----------------------|--|
| LC50 Fish 1 | 10650 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| EC50 Daphnia 1 | 2400 mg/l (Exposure time: 48 h - Species: Daphnia magna) |

Potassium Chloride (7447-40-7)

| | |
|-----------------------|--|
| LC50 Fish 1 | 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stactic]) |
| EC50 Daphnia 1 | 825 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC 50 Fish 2 | 750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic]) |
| EC50 Daphnia 2 | 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic]) |



THE KISSNER GROUP
 32 Cherry Blossom Road
 Cambridge, Ontario N3H 4R7
 1 (800) 434-8248 • (519) 279-4860
 Fax: (877) 434-8250



Persistence and degradability Not available

Bio accumulative potential

| | | |
|-------------------------------|------------|----------------------|
| Sodium chloride (7647-14-5) | BCF Fish 1 | (no bioaccumulation) |
| Calcium chloride (10043-52-4) | BCF Fish 1 | (no bioaccumulation) |

Mobility in Soil Not available

Other Information Avoid release to the environment

Section 13: Disposal Considerations

Waste Disposal Recommendations Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Section 14: Transport Information

| | |
|-------------------------|-----------------------------|
| In Accordance with DOT | Not regulated for transport |
| In Accordance with IMDG | Not regulated for transport |
| In Accordance with IATA | Not regulated for transport |
| In Accordance with TDG | Not regulated for transport |

Section 15: Regulatory Information

US Federal Regulations

| | |
|--------------------------------|---|
| Sodium chloride (7647-14-5) | Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Calcium chloride (10043-52-4) | Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Potassium Chloride (7447-40-7) | Listed on the United States TSCA (Toxic Substances Control Act) inventory |

Canadian Regulations

| | |
|----------------------|---|
| Brown Bag | |
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria |

| | |
|------------------------------------|---|
| Sodium chloride (7647-14-5) | Listed on the Canadian DSL (Domestic Substances List) |
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria |

| | |
|--------------------------------------|---|
| Calcium chloride (10043-52-4) | Listed on the Canadian DSL (Domestic Substances List) |
| WHMIS Classification | Class D Division 2 Subdivision B - Toxic material causing other toxic effects |

| | |
|---------------------------------------|---|
| Magnesium Chloride (7786-30-3) | |
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria |

| | |
|---------------------------------------|---|
| Potassium Chloride (7447-40-7) | Listed on the Canadian DSL (Domestic Substances List) |
| WHMIS Classification | Class D Division 2 Subdivision B - Toxic material causing other toxic effects |



THE KISSNER GROUP
32 Cherry Blossom Road
Cambridge, Ontario N3H 4R7
1 (800) 434-8248 • (519) 279-4860
Fax: (877) 434-8250



This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information

Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Effective Date: July 26, 2016

Version: 1

Contact: sds@kissner.com

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. Kissner Group does not accept responsibility for any loss or damage, which may occur from the use of this information.